

No matter what type of portable cable you are using, Madison has the fitting for you.

Produced to meet strict UL standards, Madison portable cord fittings use the highest quality materials to give you a tight fit every time. Loosing time and money because your fittings are low quality and just do not fit correctly is now a thing of the past. No matter your cord type or size

Madison gives you the right fit when you need it most.

portable cord fittings

31

CORD GRIPS - STEEL

Secures & seals cords or cables entering enclosures or raceways

Material: Steel, Zinc Plated, Neoprene Grommet

Certifications: cULus Listed, Federal Spec. W-F-406E

Features: 105° C temperature rating



ITEM#	TRADE SIZE	INNER QTY	MASTER QTY	CABLE RANGE		FOR TYPES S, SO, ST & STO	FOR TYPES SJ, STO, SJT, SJTO, SVO & BUS DROP
				MIN.	MAX.		
MCG-50A250	1/2"	25	100	.150	.250		18-2, 18-3 SVO
MCG-50A350	1/2"	25	100	.250	.350		18-2, 18-3 SJT, 18-2, 18-3, 18-4 SJO, 16-2, 16-3 SJO
MCG-50A450	1/2"	25	100	.350	.450	18-2, 18-3, 18-4, 16-2, 16-3, 16-4	16-4 SJO 14-2, 14-3, 14-4 SJO 12-2 SJO 14-3 Bus Drop
MCG-50A560	1/2"	25	100	.450	.560	18-5, 18-6, 18-7, 16-5, 16-6, 14-2, 14-3	12-3 SJO, 12-3, 10-3 Bus Drop
MCG-50A650	1/2"	25	100	.560	.650	18-8, 18-10, 16-7, 16-8, 14-4, 12-2, 12-3, 10-2	
MCG-75A250	3/4"	10	50	.150	.250		18-2, 18-3 SVO
MCG-75A350	3/4"	10	50	.250	.350		18-2, 18-3 SJT 18-2, 18-3, 18-4 SJO 16-2, 16-3 SJO
MCG-75A450	3/4"	10	50	.350	.450	18-2, 18-3, 18-4, 16-2, 16-3, 16-4	16-4 SJO 14-2, 14-3, 14-4 SJO 12-2 SJO 14-3 Bus Drop
MCG-75A560	3/4"	10	50	.450	.560	18-5, 18-6, 18-7, 16-5, 16-6, 14-2, 14-3	12-3 SJO, 12-3, 10-3 Bus Drop
MCG-75A650	3/4"	10	50	.560	.650	18-8, 18-10, 16-7, 16-8, 14-4, 12-2, 12-3, 10-2	
MCG-75B750	3/4"	10	50	.650	.750	18-12, 18-14, 16-10, 16-12, 14-5, 14-6, 14-7, 12-4, 12-5, 10-3, 10-4, 8-2	8-3 Bus Drop
MCG-75B850	3/4"	10	50	.750	.850	18-16, 18-20, 16-14, 16-16, 16-18, 14-8, 12-6, 12-7, 12-8, 10-5, 8-3, 8-4, 6-2	6-3 Bus Drop
MCG-100B560	1"	5	25	.450	.560	18-5, 18-6, 18-7, 16-5, 16-6, 14-2, 14-3	12-3 SJO, 12-3, 10-3 Bus Drop
MCG-100B650	1"	5	25	.560	.650	18-8, 18-10, 16-7, 16-8, 14-4, 12-2, 12-3, 10-2	
MCG-100B750	1"	5	25	.650	.750	18-2, 18-14, 16-10, 16-12, 14-5, 14-6, 14-7, 12-4, 12-5, 10-3, 10-4, 8-2	8-3 Bus Drop
MCG-100B850	1"	5	25	.750	.850	18-16, 18-18, 18-20, 16-14, 16-16, 16-18, 14-8, 12-6, 12-7, 12-8, 10-5, 8-3, 8-4, 6-2	6-3 Bus Drop
MCG-100C950	1"	5	25	.850	.950	18-22, 18-24, 18-26, 16-20, 16-22, 16-24 14-10, 14-12, 10-6, 10-7, 10-8, 6-3, 6-4	4-3 Bus Drop
MCG-100C1050	1"	5	25	.950	1.050	18-30, 16-26, 14-14, 14-16, 12-10, 4-3	
MCG-125C850	1-1/4"	5	25	.750	.850	18-16, 18-18, 18-20, 16-14, 16-16, 16-18, 14-8, 12-6, 12-7, 12-8, 10-5, 8-3, 8-4, 6-2	6-3 Bus Drop
MCG-125C950	1-1/4"	5	25	.850	.950	18-22, 18-24, 18-26, 16-20, 16-22, 16-24, 14-10, 14-12, 10-6, 10-7, 10-8, 6-3, 6-4	4-3 Bus Drop
MCG-125D1050	1-1/4"	5	25	.950	1.050	18-30, 16-26, 14-14, 14-16, 12-10, 4-3	

CORD GRIPS - STEEL (continued)

Secures & seals cords or cables entering enclosures or raceways

Material: Steel, Zinc Plated, Neoprene Grommet

Certifications: cULus Listed, Federal Spec. W-F-406E

Features: 105° C temperature rating



ITEM#	TRADE SIZE	INNER QTY	MASTER QTY	MIN.	MAX.	FOR TYPES S, SO, ST & STO	FOR TYPES SJ, STO, SJT, SJTO, SVO & BUS DROP
MCG-125D1150	1-1/4"	5	25	1.050	1.150	18-36, 18-40, 16-30, 16-36, 14-18, 14-20, 12-12, 12-14, 10-10, 4-4	2-3 Bus Drop
MCG-125D1250	1-1/4"	5	25	1.150	1.250	16-40, 14-22, 12-16, 12-18, 10-12, 10-14, 2-3	
MCG-125D1375	1-1/4"	5	25	1.250	1.375	14-24, 14-26, 14-30, 12-20, 10-16, 2-4	
MCG-150D1050	1-1/2"	2	10	.950	1.050	18-30, 16-26, 14-14, 14-16, 12-10, 4-3	
MCG-150D1150	1-1/2"	2	10	1.050	1.150	18-36, 18-40, 16-30, 16-36, 14-18, 14-20, 12-12, 12-14, 10-10, 4-4	2-3 Bus Drop
MCG-150D1250	1-1/2"	2	10	1.150	1.250	16-40, 14-22, 12-16, 12-18, 10-12, 10-14, 2-3	
MCG-150D1375	1-1/2"	2	10	1.250	1.375	14-24, 14-26, 14-30, 12-20, 10-16, 2-4	

CORD GRIPS - NON-METALLIC

Material: Fiberglass Reinforced Nylon

Certifications: UL Listed

Features: Neoprene gland. Liquid-tight for round cable. Includes locknut.




ITEM#	TRADE SIZE	INNER QTY	MASTER QTY
MNPT-50	1/2"	50	250
MNPT-75	3/4"	25	125

Unmatched versatility!

With a cold rolled steel L-Bracket, this Smart Box is a UL listed 50 lb. ceiling fan support box and a 75 lb. light fixture support box that works for all kinds of job situations. It is side beam mounted with (3) 2" #10 hex head screws vs. bottom beam mounted. Ideal for upgrading light fixtures to light ceiling fan combos, this one of a kind product has unmatched versatility that is immediately recognized by the electricians in the field.

- Ideal for new and old work applications
- Heavy duty design for support of moving loads
- Extra deep for ceiling fan components.
- Nylon locking nuts for secure ceiling fan attachment
- Factory installed (3) #10 x 2" Hex head screws

SEE PG 75



SmartBox

FAN & FIXTURE